

Casual Chic Serena garbo

01

FATOLUC

6



في عالمه الأنيق Casual Chic يشق برتولوتشي الطريق لابتكارات تجسد الخصائص الأساسية الأربعة للعلامة: الإبداع، الانحناءات، الراحة، الصياغة.

تتعانق الريفيرا الإيطالية موطن الوحي مع سويسرا موطن الإبداع، وتتشابك معها لترسم ظلال جديدة تتلاعب بالانحناءات اللطيفة والخطوط الأنيقة. وصل الهناء إلى أرقى درجة ضمن هذه التصاميم التي تجمع الراحة والتناغم معا من أجل الحصول على ترف يُستهلك كل يوم. إن موديلات Casual Chic الكلاسيكية والفريدة من نوعها تجمع بين البساطة والحداثة لتندمج في كل لحظة وكل مناسبة خلال النهار. تقدم تشكيلة SERENA GARBO نعومة ونقاوة منحنيات حصاة جلتها الأمواج ببطء تحت أشعة شمس المتوسط منحنيات مريحة ومغرية تحتفي بحلاوة العيش التي تحرص عليها ماركة برتولوتشي. وهذه التشكيلة هي أيضا مستوحاة من أناقة المرأة اللاتينية وسحرها، تفرض SERENA GARBO توقيعها على الساعة بجعل العلبة الدائرية والمنحنية تنساب على الشكل الحديث للسوار المعدني أو على الخط الراقي لجلد الرباط التقليدي المدروز. تضفي SERENA GARBO ، من التقليدي المدروز. تضفي SERENA GARBO ، من التقليدي المدروز. تضفي SERENA GARBO ، من الراحة والتناغم بإطلالتها الجميلة واناقتها البسيطة.



01

00

0

في عام 2010، تتحلى ساعة SERENA GARBO بمينا جديد تتلاعب فيه اشكال وزخارف تضخم من الانحناء الدائري لشكل الساعة. يزيد الإطار المصقول مزيداً من الراحة و الأناقة في ارتداء هذه الساعة البسيطة من الفولاذ أو من الذهب الوردي 18 قير اط و هو يحمي المينا من الأوبالين الابيض بإنعكاساته الفضية. إن سو ار الساعة الجلدي محبذ للر احة التي يوفر ها إن سو ار الساعة الجلدي محبذ للر احة التي يوفر ها المو اد المختلفة من الجلد البقري أو التمساح، وبين الأشكال المتنو عة من المظهر اللامع و غير اللامع. و هو متوفر في تشكيلة و اسعة من الألو ان لكي تتناسب مع أجمل ملابسكم العملية الأنيقة من المليم الألو ان لكي تتناسب مع أجمل



## TECHNICAL FEATURES

#### Case

N

lase		
	. Material	Stainless steel
	. Size	Round, 36.50 mm diameter, 9.00 mm thickness
	. Finishing	All polished
	. Glass	Curved sapphire crystal with anti-reflective treatment
	. Water resistance	30  meters (3  ATM) - 100  feet
	. Functions	Hours & Minutes; Time setting crown at 3 o'clock
	. Case back	Screw-on with 4 screws
Dial		
	. Base	Curved white silvered <i>opalin</i> with an off-centred sunray pattern displaying 11 Arabic numerals
		printed in black; "BERTOLUCCI" printed in black at 12 o'clock
	. Index	11 dot indexes and 1 Arabic numeral, Bertolucci "B" applied at 12 o'clock; polished,
		rhodium plated
Iands		Leaf-shaped polished, rhodium plated with anthracite lacquer inlayed
Ioveme	nt	Swiss Quartz Watch, calibre ETA $5^{1/2} \ge 6^{3/4} = 976.001$ (battery life $\approx 50$ months)
Fracelet		Dark brown alligator & calf leather strap with brown stitching, on stainless steel double folding clasp; fitted and secured by a 4 screw ring (back bezel) allowing interchangeability
Referenc	e	303.51.41.16E.366



## TECHNICAL FEATURES

#### Case

N

ase		
	Material	Stainless steel
	Size	Round, 36.50 mm diameter, 9.00 mm thickness
	Finishing	All polished
	Glass	Curved sapphire crystal with anti-reflective treatment
	Water resistance	30 meters (3 ATM) – 100 feet
	Functions	Hours & Minutes; Time setting crown at 3 o'clock
	Case back	Screw-on with 4 screws
Dial		
	Base	Curved white silvered <i>opalin</i> with an off-centred sunray pattern displaying 11 Arabic numerals
		printed in black; "BERTOLUCCI" printed in black at 12 o'clock
	Index	11 dot indexes and 1 Arabic numeral, Bertolucci "B" applied at 12 o'clock; polished,
		rhodium plated
Iands		Leaf-shaped polished, rhodium plated with anthracite lacquer inlayed
lovemer	nt	Swiss Quartz Watch, calibre ETA $5\frac{1}{2} \ge 6\frac{3}{4}$ 976.001 (battery life $\approx 50$ months)
racelet		Navy blue shiny alligator & mat calf leather strap with blue stitching, on stainless steel double
		folding clasp; fitted and secured by a 4 screw ring (back bezel) allowing interchangeability
eference	2	303.51.41.16E.3DD



## TECHNICAL FEATURES

#### Case

	. Material	Stainless steel
	. Size	Round, 36.50 mm diameter, 9.00 mm thickness
	. Finishing	All polished
	. Water resistance	30 meters (3 ATM) – 100 feet
	. Functions	Hours & Minutes; Time setting crown at 3 o'clock
	. Case back	Screw-on with 4 screws
Dial		
	. Base	Curved white silvered <i>opalin</i> with an off-centred sunray pattern displaying 11 Arabic numerals printed in black; "BERTOLUCCI" printed in black at 12 o'clock
	. Index	11 dot indexes and 1 Arabic numeral, Bertolucci "B" applied at 12 o'clock; polished, rhodium plated
Hands		Leaf-shaped polished, rhodium plated with anthracite lacquer inlayed
Moveme	nt	Swiss Quartz Watch, calibre ETA $5\frac{1}{2} \times 6\frac{3}{4}$ 976.001 (battery life $\approx 50$ months)
Bracelet		Fuchsia shiny alligator & varnished calf leather strap with pink stitching, on stainless steel double folding clasp; fitted and secured by a 4 screw ring (back bezel) allowing interchangeability
Referenc	e	303.51.41.16E.3HH



## TECHNICAL FEATURES

#### Case

N

lase		
	. Material	Stainless steel
	. Size	Round, 36.50 mm diameter, 9.00 mm thickness
	. Finishing	All polished
	. Glass	Curved sapphire crystal with anti-reflective treatment
	. Water resistance	30  meters (3  ATM) - 100  feet
	. Functions	Hours & Minutes; Time setting crown at 3 o'clock
	. Case back	Screw-on with 4 screws
Dial		
	. Base	Curved white silvered <i>opalin</i> with an off-centred sunray pattern displaying 11 Arabic numerals
		printed in black; "BERTOLUCCI" printed in black at 12 o'clock
	. Index	11 dot indexes and 1 Arabic numeral, Bertolucci "B" applied at 12 o'clock; polished,
		rhodium plated
Iands		Leaf-shaped polished, rhodium plated with anthracite lacquer inlayed
loveme	nt	Swiss Quartz Watch, calibre ETA $5\frac{1}{2} \ge 6\frac{3}{4}$ 976.001 (battery life $\approx 50$ months)
Fracelet		Alternated fine-brushed & polished stainless steel bracelet with triple folding buckle; fitted and secured by a 4 screw ring (back bezel) allowing interchangeability
Referenc	e	303.55.41.16E



## TECHNICAL FEATURES

0		
U	a	st

Case		
	. Material	Stainless steel (case & case back) & 18Kt 5N rose gold (bezel with plated crown)
	. Size	Round, 36.50 mm diameter, 9.00 mm thickness
	. Finishing	All polished
	. Glass	Curved sapphire crystal with anti-reflective treatment
	. Water resistan	the 30 meters $(3 \text{ ATM}) - 100 \text{ feet}$
	. Functions	Hours & Minutes; Time setting crown at 3 o'clock
	. Case back	Screw-on with 4 screws
Dial		
	. Base	Curved white silvered <i>opalin</i> with an off-centred sunray pattern displaying 11 Arabic numerals printed in black; "BERTOLUCCI" printed in black at 12 o'clock
	. Index	11 dot indexes and 1 Arabic numeral, Bertolucci "B" applied at 12 o'clock; polished, rose gold plated
Hands		Leaf-shaped polished, rose gold plated with anthracite lacquer inlayed
Movem	ent	Swiss Quartz Watch, calibre ETA $5^{1}/_{2} \ge 6^{3}/_{4}$ 976.001 (battery life $\approx 50$ months)
Bracele	t	Orange shiny alligator & mat calf leather strap with orange stitching, on stainless steel double folding clasp with rose gold plated cover; fitted and secured by a 4 screw ring (back bezel) allowing interchangeability
Referen	ce	303.51.47.36E.3LL



## TECHNICAL FEATURES

0			
U	a	S	e

Dia

Ha Mo Bra

Rei

,c		
	. Material	Stainless steel (case & case back) & 18Kt 5N rose gold (bezel with plated crown)
	. Size	Round, 36.50 mm diameter, 9.00 mm thickness
	. Finishing	All polished
	. Glass	Curved sapphire crystal with anti-reflective treatment
	. Water resistance	e 30  meters (3  ATM) - 100  feet
	. Functions	Hours & Minutes; Time setting crown at 3 o'clock
	. Case back	Screw-on with 4 screws
l		
	. Base	Curved white silvered <i>opalin</i> with an off-centred sunray pattern displaying 11 Arabic numerals
		printed in black; "BERTOLUCCI" printed in black at 12 o'clock
	. Index	11 dot indexes and 1 Arabic numeral, Bertolucci "B" applied at 12 o'clock; polished,
		rose gold plated
nds		Leaf-shaped polished, rose gold plated with anthracite lacquer inlayed
veme	ent	Swiss Quartz Watch, calibre ETA $5\frac{1}{2} \ge 6\frac{3}{4}$ 976.001 (battery life $\approx 50$ months)
celet		Purple alligator & calf leather strap with purple stitching, on stainless steel double folding clasp
		with rose gold plated cover; fitted and secured by a 4 screw ring (back bezel) allowing
		interchangeability
ereno	ce	303.51.47.36E.3VV